

| TL Davis Flora Species List - 26 aug 2016 | | | | |
|---|--------------------------|-----------------------|---------------|----------------|
| Status: N = Native species and E = Exotic (Non-Native) species | | | | |
| Habitat: D = disturbed ground / W = woodland / ED = edge of woodland / WE = wetland / P = prairie | | | | |
| | | | | |
| FAMILY | SCIENTIFIC NAME | COMMON NAME | STATUS | HABITAT |
| LAMIACEAE | Agastache nepetoides | catnip giant-hyssop | N | ED, W |
| ASTERACEAE | Ageratina altissima | white snakeroot | N | W, D |
| BRASSICACEAE | Alliaria petiolata | garlic-mustard | E | W, D |
| ASTERACEAE | Ambrosia artemisiifolia | little ragweed | N | ED, D |
| ASTERACEAE | Ambrosia psilostachya | western ragweed | N | P |
| FABACEAE | Amorpha canescens | leadplant | N | P |
| FABACEAE | Amorpha frutescens | indigo bush | N | W |
| POACEAE | Andropogon gerardii | big bluestem | N | P |
| RANUNCULACEAE | Anemone cylindrica | candle anemone | N | P |
| ASTERACEAE | Antennaria neglecta | pussytoes | N | P |
| RANUNCULACEAE | Aquilegia canadensis | wild columbine | N | W |
| ARACEAE | Arisaema dracontium | green dragon | N | W |
| ARACEAE | Arisaema trphyllum | jack-in-the-pulpit | N | W |
| POACEAE | Aristida oligantha | oldfield threeawn | N | D |
| ASTERACEAE | Arnoglossum plantagineum | Indian-plantain | N | ED, P |
| APOCYNACEAE | Asclepias verticillata | whorled milkweed | N | P |
| APOCYNACEAE | Asclepias viridiflora | green milkweed | N | P |
| ASTERACEAE | Aster drummondii | Drummond's blue aster | N | ED, W |
| ASTERACEAE | Aster ericoides | heath aster | N | P |
| ASTERACEAE | Aster lanceolatus | panicled aster | N | ED |
| ASTERACEAE | Aster oolentangiensis | azure aster | N | P |
| FABACEAE | Astragalus lotiflorus | lotus milk-vetch | N | P |

| | | | | |
|-----------------|---------------------------------|------------------------|---|-------|
| ASTERACEAE | <i>Bidens cernua</i> | bur-marigold | N | WE |
| ASTERACEAE | <i>Bidens comosa</i> | beggar-ticks | N | WE |
| ASTERACEAE | <i>Bidens frondosa</i> | beggar-ticks | N | WE |
| OPHIOGLOSSACEAE | <i>Botrychium virginianum</i> | rattlesnake fern | N | W |
| POACEAE | <i>Bouteloua curtipendula</i> | sideoats grama | N | P |
| ASTERACEAE | <i>Brickellia eupatorioides</i> | false boneset | N | P |
| POACEAE | <i>Bromus inermis</i> | smooth brome | E | D |
| POACEAE | <i>Calamovilfa longifolia</i> | sand reedgrass | N | P |
| CAMPANULACEAE | <i>Campanula americana</i> | American bellflower | N | ED, W |
| CYPERACEAE | <i>Carex blanda</i> | sedge | N | W |
| CYPERACEAE | <i>Carex brevior</i> | sedge | N | P, ED |
| CYPERACEAE | <i>Carex gravida</i> | sedge | N | P |
| CYPERACEAE | <i>Carex grisea</i> | sedge | N | W |
| CYPERACEAE | <i>Carex heliophila</i> | sunsedge | N | P |
| JUGLANDACEAE | <i>Carya cordiformis</i> | bitternut hickory | N | ED, W |
| CAESALPINACEAE | <i>Cassia fasciculata</i> | partridge-pea | N | D |
| BIGNONIACEAE | <i>Catalpa speciosa</i> | northern catalpa | E | D |
| CELASTRACEAE | <i>Celastrus scandens</i> | bittersweet | N | W |
| CELTIDACEAE | <i>Celtis occidentalis</i> | hackberry | N | ED, W |
| ONAGRACEAE | <i>Circaea lutetiana</i> | enchanter's-nightshade | N | W |
| ASTERACEAE | <i>Cirsium altissimum</i> | tall thistle | N | ED, P |
| COMMELINACEAE | <i>Commelina communis</i> | dayflower | E | D |
| CONVOLVULACEAE | <i>Convolvulus arvensis</i> | field bindweed | E | D |
| CORNACEAE | <i>Cornus drummondii</i> | rough-leaf dogwood | N | ED |
| CYPERACEAE | <i>Cyperus lupulinus</i> | flatsedge | N | P |
| CYPERACEAE | <i>Cyperus odoratus</i> | rusty flatsedge | N | WE |
| POLYPODIACEAE | <i>Cystopteris fragilis</i> | fragile fern | N | W |
| POLYPODIACEAE | <i>Cystopteris protrusa</i> | southern bladder-fern | N | W |
| FABACEAE | <i>Dalea candida</i> | white prairie-clover | N | P |
| FABACEAE | <i>Dalea purpurea</i> | purple prairie-clover | N | P |

| | | | | |
|-----------------|----------------------------------|---------------------------|---|----------|
| RANUNCULACEAE | <i>Delphinium virescens</i> | prairie larkspur | N | P |
| FABACEAE | <i>Desmodium glutinosum</i> | large flowerd tick clover | N | W |
| FUMARIACEAE | <i>Dicentra cucullaria</i> | Dutchman's breeches | N | W |
| POACEAE | <i>Echinochloa muricata</i> | barnyard grass | N | D |
| ASTERACEAE | <i>Eclipta prostrata</i> | yerba de tajo | N | WE |
| ELAEAGNACEAE | <i>Elaeagnus umbellata</i> | autumn-olive | E | D |
| HYDROPHYLLACEAE | <i>Ellisia nyctelea</i> | waterpod | N | W |
| POACEAE | <i>Elymus villosus</i> | hairy wildrye | N | W |
| POACEAE | <i>Elymus virginicus</i> | Virginia wildrye | N | ED |
| EQUISETACEAE | <i>Equisetum arvense</i> | field horsetail | N | WE |
| EQUISETACEAE | <i>Equisetum hyemale</i> | common scouring-rush | N | WE |
| POACEAE | <i>Eragrostis spectabilis</i> | purple lovegrass | N | D |
| ASTERACEAE | <i>Erigeron strigosus</i> | daisy fleabane | N | P |
| POACEAE | <i>Eriochloa contracta</i> | prairie cupgrass | N | D |
| CELASTRACEAE | <i>Euonymus atropurpureus</i> | wahoo | N | W |
| EUPHORBIACEAE | <i>Euphorbia cyathophora</i> | fire-on-the-mountain | N | ED |
| EUPHORBIACEAE | <i>Euphorbia davidii</i> | western toothed spurge | N | ED, D |
| POACEAE | <i>Festuca subverticillata</i> | nodding fescue | N | W |
| OLEACEAE | <i>Fraxinus pennsylvanica</i> | green ash | N | ED, W, D |
| RUBIACEAE | <i>Galium aparine</i> | bedstraw, cleavers | N | W |
| RUBIACEAE | <i>Galium circaezans</i> | bedstraw, cleavers | N | W |
| CAESALPINIACEAE | <i>Gymnocladus dioica</i> | Kentucky coffee-tree | N | ED, W |
| BORAGINACEAE | <i>Hackelia virginiana</i> | Virginia stickseed | N | W |
| ASTERACEAE | <i>Helianthus grosseserratus</i> | sawtooth sunflower | N | ED |
| ASTERACEAE | <i>Heliantus tuberosus</i> | Jerusalem artichoke | N | ED |
| BALSAMINACEAE | <i>Impatiens</i> sp. | jewelweed | N | ED, W |
| JUGLANDACEAE | <i>Juglans nigra</i> | black walnut | N | ED, W |
| CUPRESSACEAE | <i>Juniperus virginiana</i> | red cedar | N | ED, W, D |
| POACEAE | <i>Koeleria macrantha</i> | junegrass | N | P |
| ASTERACEAE | <i>Lactuca floridana</i> | blue lettuce | N | ED, W |

| | | | | |
|----------------|---|-------------------------|---|---------|
| ASTERACEAE | <i>Lactuca oblongifolia</i> | pretty blue lettuce | N | ED |
| URTICACEAE | <i>Laportea canadensis</i> | wood nettle | N | W |
| POACEAE | <i>Leersia virginica</i> | whitegrass | N | W |
| FABACEAE | <i>Lespedeza capitata</i> | roundhead bush-clover | N | P |
| ASTERACEAE | <i>Liatris punctata</i> | dotted gayfeather | N | P |
| LINACEAE | <i>Linum sulcatum</i> | grooved flax | N | P |
| CYPERACEAE | <i>Lipocarpa micrantha</i> | dwarf bulrush | N | WE |
| CAPRIFOLIACEAE | <i>Lonicera maackii</i> | Amur honeysuckle | E | ED, D |
| LAMIACEAE | <i>Lycopus asper</i> | western water-horehound | N | We |
| FABACEAE | <i>Medicago lupulina</i> | black medic | E | D |
| MENISPERMACEAE | <i>Menispermum canadense</i> | moonseed vine | N | ED, W |
| LAMIACEAE | <i>Monarda fistulosa</i> | bee-balm | N | ED, W |
| MORACEAE | <i>Morus alba</i> | white mulberry | E | ED, D |
| POACEAE | <i>Muhlenbergia cuspidata</i> | plains muhly | N | P |
| POACEAE | <i>Muhlenbergia frondosa</i> | wirestem muhly | N | ED, W |
| POACEAE | <i>Muhlenbergia mexicana</i> | wirestem muhly | N | W, ED |
| POACEAE | <i>Muhlenbergia racemosa</i> | marsh muhly | N | P, ED |
| ASTERACEAE | <i>Nothocalais cuspidata</i> | prairie dandelion | N | P |
| ONAGRACEAE | <i>Oenothera biennis</i> | common evening-primrose | N | ED, D |
| ONAGRACEAE | <i>Oenothera serrulata</i> | plains evening-primrose | N | P |
| OXALIDACEAE | <i>Oxalis violacea</i> | violet oxalis | N | P, ED |
| POACEAE | <i>Panicum capillare</i> | witchgrass | N | D |
| POACEAE | <i>Panicum dichotomiflorum</i> | fall panicum | N | D |
| POACEAE | <i>Panicum oligosanthes</i> v. <i>scribnerianum</i> | Scribner's panic grass | N | P |
| POACEAE | <i>Panicum ovale</i> v. <i>praecocius</i> | panic grass | N | P |
| POACEAE | <i>Panicum virgatum</i> | switchgrass | N | W, D, P |
| URTICACEAE | <i>Parietaria pennsylvanica</i> | pellitory | N | W |
| VITACEAE | <i>Parthenocissus quinquefolia</i> | Virginia creeper | N | W |
| VITACEAE | <i>Parthenocissus vitacea</i> | woodbine | N | ED |
| FABACEAE | <i>Pedimelum argophyllum</i> | silver-leaf scurfpea | N | P |

| | | | | |
|------------------|--|--------------------------|---|-------|
| SCROPHULARIACEAE | <i>Penstemon grandiflorus</i> | sheall-leaf penstemon | N | P |
| POLEMONIACEAE | <i>Phlox divaricata</i> | timber phlox | N | W |
| PHRYMACEAE | <i>Phryma leptostachya</i> | lopseed | N | W |
| SOLANACEAE | <i>Physalis virginiana</i> | Virginia ground-cherry | N | P |
| URTICACEAE | <i>Pilea pumila</i> | clearweed | N | W |
| LILIACEAE | <i>Polygonatum biflorum</i> | Solomon's seal | N | ED,W |
| POLYGONACEAE | <i>Polygonum cocineum</i> | scarlet smartweed | N | ED, W |
| POLYGONACEAE | <i>Polygonum persicaria</i> | lady's thumb | E | W |
| POLYGONACEAE | <i>Polygonum scandens</i> | climbing false-buckwheat | N | ED |
| POLYGONACEAE | <i>Polygonum virginianum</i> | jumpseed | N | ED, W |
| SALICACEAE | <i>Populus deltoides</i> susp. <i>monilifera</i> | cottonwood | N | WE |
| ROSACEAE | <i>Potentilla recta</i> | sulfur cinquefoil | E | P, D |
| ASTERACEAE | <i>Prenanthes aspera</i> | rattlesnake-root | N | P |
| ROSACEAE | <i>Prunus virginiana</i> | chokecherry | N | ED |
| FAGACEAE | <i>Quercus macrocarpa</i> | bur oak | N | ED, W |
| RANUNCULACEAE | <i>Ranunculus abortivus</i> | kidney-leaf buttercup | N | W |
| ANACARDIACEAE | <i>Rhus glabra</i> | smooth sumac | N | ED, D |
| GROSSULARIACEAE | <i>Ribes missouriense</i> | gooseberry | N | ED, W |
| ADOXACEAE | <i>Sambucus canadensis</i> | elderberry | N | ED |
| APIACEAE | <i>Sanicula odorata</i> | sanicle | N | W |
| POACEAE | <i>Schizachyrium scoparius</i> | little bluestem | N | P |
| SCROPHULARIACEAE | <i>Scrophularia marilandica</i> | eastern figwort | N | ED, W |
| POACEAE | <i>Setaria faberi</i> | Chinese foxtail | E | D |
| POACEAE | <i>Setaria pumila</i> | yellow foxtail | E | D |
| POACEAE | <i>Setaria viridis</i> | green foxtail | E | D |
| CARYOPHYLLACEAE | <i>Silene stellata</i> | starry campion | N | W |
| IRIDACEAE | <i>Sisyrinchium campestre</i> | blue-eyed grass | N | P |
| SMILACACEAE | <i>Smilax hispida</i> | bristly greenbriar | N | ED, W |
| SMILACACEAE | <i>Smilax lasioneura</i> | carrion flower | N | D |
| ASTERACEAE | <i>Solidago canadensis</i> | Canada goldenrod | N | ED |

| | | | | |
|----------------|--|------------------------|---|----------|
| ASTERACEAE | <i>Solidago missouriensis</i> | Missouri goldenrod | N | P |
| ASTERACEAE | <i>Solidago rigida</i> | stiff goldenrod | N | P, ED |
| POACEAE | <i>Spartina pectinata</i> | cordgrass | N | WE |
| POACEAE | <i>Sphenopholis obtusata</i> | wedgegrass | N | P |
| POACEAE | <i>Sporobolus compositus</i> | rough dropseed | N | P |
| POACEAE | <i>Stipa spartea</i> | porcupine grass | N | P |
| CAPRIFOLIACEAE | <i>Symphoricarpos occidentalis</i> | wolfberry | N | ED |
| CAPRIFOLIACEAE | <i>Symphoricarpos orbiculatus</i> | coralberry | N | ED, W |
| ASTERACEAE | <i>Taraxacum officinale</i> | dandelion | E | D |
| RANUNCULACEAE | <i>Thalictrum dasycarpum</i> | purple meadow-rue | N | WE, ED |
| TILIACEAE | <i>Tilia americana</i> | American linden | N | ED, W |
| ANICARDIACEAE | <i>Toxicodendron radicans</i> | poison ivy | N | ED, W |
| POACEAE | <i>Tridens flavus</i> | purple-top grass | N | D, ED |
| FABACEAE | <i>Trifolium pratense</i> | red clover | E | D |
| CAPRIFOLIACEAE | <i>Triosteum perfoliatum</i> | horse-gentian | N | W |
| ULMACEAE | <i>Ulmus americana</i> | American elm | N | ED, W |
| ULMACEAE | <i>Ulmus pumila</i> | Siberian elm | E | D, ED, W |
| ULMACEAE | <i>Ulmus rubra</i> | Red elm | N | ED, W |
| URTICACEAE | <i>Urtica dioica</i> | stinging nettle | N | W, D |
| VERBENACEAE | <i>Verbena bracteata</i> | prostrate vervain | N | D |
| VERBENACEAE | <i>Verbena stricta</i> | woolly vervain | N | P, D |
| VERBENACEAE | <i>Verbena urticifolia</i> | nettle-leaf vervain | N | ED, W |
| VIOLACEAE | <i>Viola pedatifida</i> | prairie violet | N | P |
| VIOLACEAE | <i>Viola pubescens</i> var. <i>eriocarpa</i> | Johnny jump-up | N | W |
| VIOLACEAE | <i>Viola sororia</i> | downy blue violet | N | W |
| VITACEAE | <i>Vitis riparia</i> | riverbank grape | N | ED, W |
| POLYPODIACEAE | <i>Woodsia obtusa</i> | blunt-lobed cliff fern | N | W |
| ASTERACEAE | <i>Xanthium strumarium</i> | cocklebur | N | D |
| RUTACEAE | <i>Zanthoxylon americanum</i> | prickly-ash | N | W |
| | | | | |